Datasheet of CCBPWN1350D8 CellCore high torque pistol grip nutrunner R I E



Description

Wireless high torque nutrunner, torques 293 - 1350Nm, idling speed 6 1/min, 1" square drive

Cleco's new CellCore™ Cordless Assembly Tools are smart, durable and designed to withstand the toughest environments. The lightweight ergonomic design reduces operator fatigue while delivering state-of-the-art power, weight and balance. A large user interface makes it quick and easy to program rundowns on the tool without a controller.

The high torque nut runners of the CellCore [™] series bring even more flexibility.

• FastApps - Program up to 10 applications directly on the tool or connect to a controller for maximum functionality

- Versatile 40-2000 Nm range allowing more flexibility in your tool
- Reliable Norbar® torque multiplier provides proven accuracy and quality
- · Access 360° rotating head and handle for maximum accessibility
- "Stay Alive" feature prevents rebooting during battery replacement, saving time and increasing efficiency
- Internal data memory 15000 screwing values and 500 curves storable in stand-alone mode
 Up to 10 CellCore tools can be operated with the appropriate nutrunner controller mPro200GC

Details

Output:	1" Square Drive
Torque in Nm:	293 - 1350
Idling speed rpm:	6
Length in mm:	403
Weight in kg:	6,68

Dimensions

Head height in mm:	208
Side to center in mm:	40
Length in mm:	403

