
# **Maku** INDUSTRIE

# Datasheet of 3698 10 13 T-stud coupling





## Description

LF 3600 - Brass special - Industrie and food, T-stud coupling, Brass nickel plated chemical fda brass, 2 x 10 mm - G1/4  $\,$ 

Connection of 2 tubes at a 90° angle with a male thread. Solid construction and compact design. Excellent resistance to corrosion. Individual unit quality control and dating in order to guarantee quality and traceability. Components meet FDA standard and 1935/2004/EC regulation and comply RoHS.

#### Details

ØD:	10 mm
C:	G1/4"
E:	6,5
F:	18
G:	17,5
H:	42
J:	12
Maximum working pressure in bar:	30
Material seal ring:	Brass nickel plated chemical fda brass
Material seal:	FKM
Material body:	Brass nickel plated chemical fda brass
Material threaded fitting:	Brass nickel plated chemical fda brass
Material release button:	Brass nickel plated chemical fda brass
min. temperature in °C:	-20
max. temperature in °C:	150
Vacuum resistance in mm Hg:	755
Special feature:	schwenkbar
RoHS compliant:	Yes
Weight in kg:	0,066

### Dimensions

ØD:	10 mm
C:	G1/4"
E:	6,5
F:	18
G:	17,5
H:	42
J:	12