


Datasheet of 3698 14 21 T-stud coupling





Description

LF 3600 - Brass special - Industrie and food, T-stud coupling, Brass nickel plated chemical fda brass, 2×14 mm - G1/2

Connection of 2 tubes at a 90° angle with a male thread. Solid construction and compact design. Excellent resistance to corrosion. Individual unit quality control and dating in order to guarantee quality and traceability. Components meet FDA standard and 1935/2004/EC regulation and comply RoHS.

Details

| ØD: | 14 mm |
|----------------------------------|--|
| C: | G1/2" |
| E: | 9 |
| F: | 24 |
| G: | 21,5 |
| H: | 49 |
| J: | 16 |
| Maximum working pressure in bar: | 30 |
| Material seal ring: | Brass nickel plated chemical fda brass |
| Material seal: | FKM |
| Material body: | Brass nickel plated chemical fda brass |
| Material threaded fitting: | Brass nickel plated chemical fda brass |
| Material release button: | Brass nickel plated chemical fda brass |
| min. temperature in °C: | -20 |
| max. temperature in °C: | 150 |
| Vacuum resistance in mm Hg: | 755 |
| Special feature: | schwenkbar |
| RoHS compliant: | Yes |
| Weight in kg: | 0,111 |

Dimensions

| | 14 mm |
|----|-------|
| | G1/2" |
| E: | 9 |
| F: | 24 |
| G: | 21,5 |
| H: | 49 |
| J: | 16 |